



CL 7300 PTFE DRY LUBE

PRODUCT DESCRIPTION

CL 7300 PTFE Dry Lube is a unique dry-film lubricant that leaves a micro-thin, Pure Teflon® Fluoropolymer coating. This clean, long-lasting coating repels abrasive contaminants, resists corrosion, and reduces friction and squeaks.

CL 7300 PTFE Dry Lube is effective over a wide temperature range of -40 °F to 500 °F.

CL 7300 PTFE Dry Lube Goes on wet to penetrate, then sets up with a clean, dry, white micro-thin coating.

CL 7300 PTFE Dry Lube Non-staining film bonds to most surfaces and lubricates parts to reduce sticking and squeaking.

CL 7300 PTFE Dry Lube Helps materials resist chemical contaminants or water.

CL 7300 PTFE Dry Lube acts as a protective coating for metal, plastic and rubber.

APPLICATION

- Use on surfaces requiring a dry, non-oily, non-staining and silicone-free film
- Chains, gears, cables, bearings, valves, shafts, tracks and slides
- Hinges, locks, fasteners, sliding surfaces, sealers, blades and bulb threads
- Electrical switches and connectors
- Mowers, garden equipment, snow blowers, gaskets, seals, rollers, plastic gears, sleeves, ropes, drive belts and bushings
- Outdoor power equipment, firearms, fishing, cycling, sailing and marine
- Cutting blades
- Gaskets, seals, rollers, plastic gears, sleeves, drive belts and bushings