



# **CL 8400 HIGH TEMP SILICONE SEALANT**

---

## **RTV SILICONE HI-TEMP RED Adhesive/Sealant/Instant Gasket**

### **PRODUCT DESCRIPTION**

**CL 8400 High Temp Silicone Sealant** is a multi-purpose, single-component adhesive sealant that quickly adheres to most surfaces. It cures in 24 hours to provide a tough, resilient, silicone rubber good for hundreds of applications.

**CL 8400 High Temp Silicone Sealant** can be used for gasketing, sealing, bonding, insulating, caulking, encapsulating, and coating. This flexible material resists shrinking, cracking, weather, ozone, chemicals, moisture, vibration, and extreme temperatures ranging from -85°F to +600°F. Low-volatile formula recommended for many automotive applications.

**CL 8400 High Temp Silicone Sealant** is great for making replacements of custom gaskets and seals for all types of motors, transmissions, gear housings, pumps, power tools, machinery, etc. It's better than conventional gaskets because it fills in surface irregularities.

Use **CL 8400 High Temp Silicone Sealant** to seal heating and ventilating ducts. It seals cracks and gaps around windows, vents, doors, machinery, truck cabs and trailers, fixtures, lights, walls, bathtubs, sinks, etc. It can be used to waterproof electrical connections and boxes. It seals out water from compartments in machinery as well as holes where wire tubing or refrigeration lines run through walls.

As a flexible adhesive **CL 8400 High Temp Silicone Sealant** is versatile and easily bonds dissimilar materials. It provides excellent adhesion to clean metal, glass, most types of wood, ceramic, porcelain, painted, and many plastic surfaces. Attach nameplates and signs to equipment, walls, doors, windows, (interior or exterior). **CL 8400 High Temp Silicone Sealant** bonds gaskets in heating and refrigeration units.

As a specialty sealant, **CL 8400 High Temp Silicone Sealant** can be used to seal or coat components exposed to moisture, vibration, shock, certain fuels, oils, solvents, chemicals and corrosives for a long period of time. This product can be used as a formed-in-place gasket where irregular shapes and harsh conditions reject ordinary seals. It is also effective for repairing electrical insulation, sealing insulators and entrance ports to transformers.

## **APPLICATION**

Hi-Temp Sealing, Waterproof Sealant, Instant Gasket Sealing, and Insulating.

## **FEATURES**

- Superior caulking, bonding and sealing qualities.
- Easier to use than other gasketing methods.
- Resists chemicals, temperature extremes, weather, vibration, moisture and ozone.
- Will not sag, run off, or shrink.
- Functions in hundreds of applications as a specialty sealant and flexible adhesive.
- Excellent non-conducting characteristics.
- Low volatile material available.
- Neutral cure available for masonry.